

## plug - with screwless terminals, for harsh applications



| Product description       |                       |
|---------------------------|-----------------------|
| BALS-Prd.-Nr              | 210668                |
| EAN                       | 4024941145541         |
| product group             | Quick-Connect TE plug |
| current                   | 16A                   |
| number of poles           | 4p                    |
| Arrangement of the phases | 3P+PE                 |
| position of earth contact | 1 h                   |
| voltage (V)               | >50V for all other    |
| protection degree         | IP44                  |

| Product description         |  |
|-----------------------------|--|
| colour code                 | gray RAL 7035  |
| Colour of appliance         | Housing cover grey, Cable gland grey, Collar grey  |
| connection design           | screwless spring-clamp   |
| maximum conductor size (LQ) | 2,5 qmm  |
| cable entry (KE)            | Cable gland  |
| Height                      | 154mm  |
| Width                       | 58mm   |
| Depth                       | 66mm   |
| material of enclosure       | Polyamide  |
| contact                     | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical information |   |
|----------------------------------|---|
|                                  | For cable diameter from 8 up to max. 18 mm, Multi-Grip cable gland with gasket, integrated cable clamp and additional water evacuation openings |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 0.143 kg / Piece |
| Packaging      | Bag              |
| Content amount | 1 ST             |
| EAN            | 4024941145541    |
| Length         | 66 mm            |

| Logistics data |               |
|----------------|---------------|
| Width          | 58 mm         |
| Height         | 154 mm        |
| Weight         | 0.144 kg      |
| Volume         | 589.512 ccm   |
| Packaging      | Carton        |
| Content amount | 10 ST         |
| EAN            | 4024941836265 |
| Length         | 275 mm        |
| Width          | 175 mm        |
| Height         | 137 mm        |
| Weight         | 1.555 kg      |
| Volume         | 5,737.5 ccm   |

