

## plug - with screwless terminals, for harsh applications



| Product description       |                       |
|---------------------------|-----------------------|
| BALS-Prd.-Nr              | 21349                 |
| EAN                       | 4024941213493         |
| product group             | Quick-Connect TE plug |
| current                   | 16A                   |
| number of poles           | 4p                    |
| Arrangement of the phases | 3P+PE                 |
| position of earth contact | 6 h                   |
| voltage (V)               | 380 up to 415V        |
| frequency                 | 50 and 60Hz           |

| Product description         |  |
|-----------------------------|--|
| protection degree           | IP67   |
| colour code                 | red RAL 3000   |
| Colour of appliance         | Housing cover red, Collar red, Cable gland grey  |
| connection design           | screwless spring-clamp   |
| maximum conductor size (LQ) | 2,5 qmm  |
| cable entry (KE)            | Cable gland  |
| Height                      | 146mm  |
| Width                       | 79mm   |
| Depth                       | 79mm   |
| material of enclosure       | Polyamide  |
| contact                     | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical information |   |
|----------------------------------|---|
|                                  | For cable diameter from 8 up to max. 18 mm, Multi-Grip cable gland with gasket, integrated cable clamp and additional water evacuation openings |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 0.173 kg / Piece |
| Packaging      | Bag              |
| Content amount | 1 ST             |
| EAN            | 4024941213493    |

| Logistics data |               |
|----------------|---------------|
| Length         | 79 mm         |
| Width          | 79 mm         |
| Height         | 146 mm        |
| Weight         | 0.174 kg      |
| Volume         | 911.186 ccm   |
| Packaging      | Carton        |
| Content amount | 10 ST         |
| EAN            | 4024941941181 |
| Length         | 245 mm        |
| Width          | 177 mm        |
| Height         | 185 mm        |
| Weight         | 1.863 kg      |
| Volume         | 7,140 ccm     |

