

plug - 7 poles, with Multi-Grip



| Product description | |
|---------------------------|---------------|
| BALS-Prd.-Nr | 21667 |
| EAN | 4024941216678 |
| product group | TE plug |
| current | 16A |
| number of poles | 7p |
| Arrangement of the phases | 6p+PE |
| position of earth contact | 6 h |
| voltage (V) | 400V |
| frequency | 50 and 60Hz |

| Product description | |
|-----------------------------|--|
| protection degree | IP67 |
| colour code | red RAL 3000 |
| Colour of appliance | Housing cover red, Collar red, Bayonet ring grey, Cable gland grey |
| connection design | with screw terminal |
| maximum conductor size (LQ) | 2,5 qmm |
| cable entry (KE) | Cable gland |
| Height | 154mm |
| Width | 87mm |
| Depth | 87mm |
| material of enclosure | Polyamide |
| contact | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical information | |
|----------------------------------|--|
| | For cable diameter from 10 up to max. 21 mm, Multi-Grip cable gland with gasket, integrated cable clamp and additional water evacuation openings |

| Logistics data | |
|----------------|------------------|
| Weight/pcs | 0.253 kg / Piece |
| Packaging | Bag |
| Content amount | 1 ST |
| EAN | 4024941216678 |

| Logistics data | |
|----------------|---------------|
| Length | 87 mm |
| Width | 87 mm |
| Height | 154 mm |
| Weight | 0.254 kg |
| Volume | 1,165.626 ccm |
| Packaging | Carton |
| Content amount | 10 ST |
| EAN | 4024941971379 |
| Length | 258 mm |
| Width | 183 mm |
| Height | 212 mm |
| Weight | 2.682 kg |
| Volume | 8,750 ccm |

