

connector - with screw terminals one piece housing



Product description	
BALS-Prd.-Nr	310362
EAN	4024941097420
product category (PG)	TLS connector Multi-Grip cable gland
current (A)	32A
number of poles (P99)	5p
number of poles (P)	3p+N+PE
position of earth contact (H)	4 h
voltage (V)	57/100 up to 75/130V
frequency (HZ)	50 and 60Hz

Product description	
protection degree (SA)	IP67
colour code 1 (KF1)	yellow RAL 1012
Colour of appliance	Hinged lid yellow, Enclosure yellow, Bayonet ring grey, Cable gland grey
connection design (AT)	screw terminal
maximum conductor size (LQ)	6,0 qmm
cable entry (KE)	Cable gland
Height	190mm
Width	101.5mm
Depth	106mm
material of enclosure (GM)	Polyamide
contact	The contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical information	
	one piece housing, Multi-Grip cable gland with gasket and integrated strain relief, For cable diameter from 11 up to max. 23,5 mm

Logistics data	
Weight/pcs	0.374 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941097420

Logistics data	
Length	106 mm
Width	101.5 mm
Height	190 mm
Weight	0.375 kg
Volume	2,044.21 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941834995
Length	325 mm
Width	217 mm
Height	210 mm
Weight	3.946 kg
Volume	13,588.4 ccm

