

## connector schuko-type - with cover and strap, Belgian/French standard



Product description	
BALS-Prd.-Nr	7455
EAN	4024941074551
product category (PG)	Domestic connector
current (A)	16A
number of poles (P99)	3p
number of poles (P)	2P+PE
voltage (V)	250V
frequency (HZ)	alternating current (AC)

Product description	
protection degree (SA)	IP68
colour code 1 (KF1)	gray RAL 7035
Colour of appliance	Hinged lid grey RAL 7035, Bayonet ring grey RAL 7035, Cable gland grey RAL 7035, Enclosure grey RAL 7035
connection design (AT)	head-screw terminal
maximum conductor size (LQ)	2,5 qmm
cable entry (KE)	Cable gland
Height	130mm
Width	66mm
Depth	75mm
material of enclosure (GM)	Polyamide
contact	The contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical information	
	With earth contact Belgian/French standard
	For cable diameter up to max. 14,0 mm, With cable gland, With hammer symbol
	With bayonet cover on strap

Logistics data	
Weight/pcs	0.26 kg / Piece
Packaging	Bag

Logistics data	
Content amount	1 ST
EAN	4024941074551
Length	75 mm
Width	66 mm
Height	130 mm
Weight	0.261 kg
Volume	643.5 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941835831
Length	275 mm
Width	175 mm
Height	137 mm
Weight	2.725 kg
Volume	5,737.5 ccm

