

swiss standard socket outlet - type 23, flange 50x50



Product description	
BALS-Prd.-Nr	776
EAN	4024941007764
Product category	swiss standard socket type 23
Current	16A
Number of poles	3p
Number of poles	2P+PE
Voltage	230V
Frequency	alternating current (AC)
Protection degree	IP54

Product description	
Colour code	blue RAL 5015
Colour of appliance	Enclosure blue RAL 5015, Hinged lid blue RAL 5015
Connection design	head-screw terminal
Maximum conductor size	4,0 qmm
Cable entry	null
Height	61.5mm
Width	50mm
Depth	47mm
Flange size vertical	50mm
Flange size horizontal	50mm
Drill hole distance vertical	38mm
Drill hole distance horizontal	38mm
Material of enclosure	Polyamide
Contact	The contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical information	
	The connection is rear

Logistics data	
Weight/pcs	0.02 kg / Piece
Packaging	Bag

Logistics data	
Content amount	1 ST
EAN	4024941007764
Length	47 mm
Width	50 mm
Height	61.5 mm
Weight	0.021 kg
Volume	144.525 ccm
Packaging	Carton
Content amount	20 ST
EAN	4024941975049
Length	207 mm
Width	162 mm
Height	142 mm
Weight	0.5 kg
Volume	3,750 ccm